

## **MV Armoured Cable**

### **MEDIUM VOLTAGE ARMOURED CABLES: IEC 60502-2**

### **Application**

These Medium Voltage Single Core & Three Core Cables are Designed for Electricity Power Distributation, Suitable for Installation in Power Supply Stations, Commercial, Industrial and Urban Residential Networks, Indoors and in Cable Ducts, Outdoors, Undergrounds and as well as for Installation on Cable Trays for industries, Switchboards and the power Stations with Nominal Voltage Uo/U Ranging from 3.6/6 kV to 18/30 kV.

#### Construction

Conductor : Annealed Plain Copper or Aluminium Compacted Round Stranded Conductors to

carry Current and withstand Pulling Stresses During Cable Laying.

Conductors Complying with IEC 60228

Inner Semi-Conducting

Screen

: Extruded Layer of Semi-Conducting Screen over Conductor to Smooth the Electric Field at the Conductor and Firmly Bonded to the Insulation to exclude all air voids and Prevent Concentration of electric field of the interface between the Insulation and the Inner Semi-Conductor. Semi-Conducting Compound Complying with IEC 60502-2

: The Insulation of XLPE (Cross-Linked Polyethylene) Rated Voltage, Lightning Insulation

Overoltage, Switching Overvoltage and Withstand the Various Voltage Field Stress

During the Cable Service Life as per IEC 60502-2

**Core Semi-Conducting** 

Screen

Extruded Layer of Semi-Conducting Screen over the Insulation. The Screen is Tightly Fitted to the Insulation to Exclude all air Voids, Prevent Concentration of electric field of the interface between the Insulation and the Semi-Conductor. Semi-Conducting Compound Complying with IEC 60502-2

**Metallic Screen** 

: The Metallic Screen Shall Consist of Copper Tape. The Metallic Layer may be applied

over the Individual Cores. Metallic Screen Provide no Electric Field outer side of the

Cable.

Filler (Optional) : Non Hygroscopic filler

**Inner Sheath** : The Inner-sheath Comprises a layer of Extruded as per Requirement PVC or LSZH,

Applied Under the Armour, Inner-sheath Compound Complying with IEC 60502-2

Armour : The Armour Consists of Round Aluminium Wire for Single Core Cable, And Round

Galvanized Steel Wire Armour. Applied over the Inner-sheath. Armour Material

Complying with IEC 60502-2

**Outer Sheath** : The Outer-sheath Comprises a layer of Extruded as per Requirement PVC or LSZH,

Applied Over the Armour to Insulate the Metallic Screen From the Surrounding

Medium, to Protect the Metallic Screen From Corrosion, to Reduce the contribution of cables to Fire Propagation and Contribute to Mechanical Protection. Outer sheath

Compound Complying with IEC 60502-2

**Temperature Range** Minimum Conductor Operating Temperature: -15°C (XLPE INSULATION)

Maximum Conductor Operating Temperature: 90°C (XLPE INSULATION)

Short Circuit Temperature: 250°C (5 Seconds Maximum Duration)(XLPE INSULATION)

**Bending Radius** : Single Core Armoured: 20D

> Three Core Armoured: 12D D = Outer Diameter of Cable

Note:

As per customer requirement cables can be manufacture as per BS 6622 (PVC sheathed) & BS 7835 (LSZH sheathed).





# 1 Core Cables - 18/30 KV, CU Or AL Conductor, XLPE Insulation, Metallic Screen: Copper Tape, AL. Wire Armoured, PVC Sheathed

#### **DIMENSIONAL DATA** Nominal Nominal Nominal Inner Approx Catalouge Armour Overall Cross Sheath Overall Insulation Number Section Wire Size Sheath Thickness Dia Thickness Area Thickness SQ.MM MM MM MM MM MM NMV30CT\*2XAWYSC0500 50 8 1.2 2.0 2.2 38 NMV30CT\*2XAWYSC0700 70 8 1.2 2.0 2.2 41 NMV30CT\*2XAWYSC0950 95 8 1.2 2.0 2.3 42 NMV30CT\*2XAWYSC1200 120 8 1.2 2.0 2.3 45 NMV30CT\*2XAWYSC1500 150 8 1.3 2.5 2.4 47 NMV30CT\*2XAWYSC1850 185 8 1.3 2.5 2.5 48 NMV30CT\*2XAWYSC2400 240 8 1.3 2.5 2.6 52 NMV30CT\*2XAWYSC3000 300 8 1.4 2.5 2.6 54 NMV30CT\*2XAWYSC4000 400 8 1.4 2.5 2.7 58 NMV30CT\*2XAWYSC5000 500 8 1.5 2.5 2.9 61 NMV30CT\*2XAWYSC6300 630 8 1.6 2.5 2.9 64

Notes: \*V(\*) ADD "A" for Aluminium cable & "C" for Copper cable

The above data is indicative & may be changed without prior information.

ELECTRICAL DATA	Impedance	aced	AL	m/au	844	262	446	367	313	267	226	203	184	171	160
		Flat Spaced	no	m/au	527	386	300	257	229	206	185	174	164	158	151
		Trefoil	AL	m/au	834	583	427	345	287	237	161	163	141	124	110
			CO	m/au	511	364	272	225	193	165	140	126	113	105	97
	Inductance	Flat		m/hn	680	640	620	009	280	280	260	220	520	520	210
		Trefoil		nH/m	480	460	440	420	400	390	380	360	340	330	320
	Reactance	Flat		m/au	214	201	195	188	182	182	176	173	163	163	160
		Trefoil		m/au	151	144	138	132	126	122	119	113	107	104	100
	Short Circuit Rating of Copper Tape Screen I			ΚΑ	1.0	1.0	Ξ	Ξ	1.2	1.2	1.3	1.4	1.5	1.6	1.7
	Charging			m/km	0.83	0.92	1.01	Ξ	1.16	1.26	1.37	1.49	1.64	1.79	1.96
	Capacita			pF/m	138	154	169	183	194	210	229	249	273	298	327
	Short Circuit Rating of Conductor 1 sec.			kA	4.72	6.61	8.97	11.33	14.16	17.46	22.66	28.32	37.76	47.2	59.47
	Short Circ of Conduc		CO	kA	7.15	10.01	13.58	17.16	21.45	26.45	34.32	42.9	57.2	71.5	90.09
	Resistan		AL	Ω/Km	0.641	0.443	0.32	0.253	0.206	0.164	0.125	0.100	0.0778	0.0605	0.0469
			CO	Ω/Km	0.387	0.268	0.193	0.153	0.124	0.0991	0.0754	0.0601	0.0470	0.0366	0.0283
	Nominal Cross Section Area			Sq.mm	20	70	92	120	150	185	240	300	400	200	630